


← Más en la página anterior

SOLERA

Espesor (t)		Dimensión (a)		Peso	Peso Aprox. Pieza (kg)	
pulg	mm	pulg	mm	kg/m	6.10 m	12.20 m
		5.00	127.00	15.83	96.56	
		6.00	152.40	18.99	115.84	231.68
		8.00	203.20	25.33	154.51	309.03
		10.00	254.00	31.66	193.13	386.25
		12.00	304.80	37.97	231.62	463.23
3/4	19	1.50	38.10	5.70	34.77	
		2.00	50.80	7.59	46.30	
		2.50	63.50	9.49	57.89	
		3.00	76.20	11.40	69.54	
		4.00	101.60	15.18	92.60	
		5.00	127.00	18.99	115.84	
		6.00	152.40	22.80	139.08	
		8.00	203.20	30.36	185.20	370.39
		10.00	254.00	37.97	231.62	463.23
		12.00	304.80	45.59	278.10	556.20
1	25.4	2.00	50.80	10.13	61.79	
		3.00	76.20	15.18	92.60	
		4.00	101.60	20.27	123.65	
		6.00	152.40	30.36	185.20	
		8.00	203.20	40.53	247.23	494.47
		10.00	254.00	50.65	308.97	617.93
		12.00	304.80	60.71	370.33	740.66



SOLIDOS

(Redondo, Cuadrado, Cuadrado Retorcido)

Ingles: Steel Bar (Round, Square, Twisted)

Koreano: 평환봉 / 사각 바

Grado Acero ASTM: A36
 Material Rolado en Caliente (Hot Rolled)
 3/16" - 3/8" Disponible en Brillante (Semiflecha)
 = No disponible Variaciones de Peso +/- 2%

Dimensión (a)		Redondo Liso		Cuadrado		Cuadrado Retorcido	
Pulg	mm	kg/m	Pieza 6.10m	kg/m	Pieza 6.10m	kg/m	Pieza 6.10m
Brillante 3/16	4.8	0.14	0.85				
Brillante 1/4	6.3	0.25	1.53				
Brillante 5/16	7.9	0.39	2.38				
Brillante 3/8	9.53	0.56	3.42				
3/8	9.5	0.56	3.42	0.71	4.33	0.71	4.33
0.47	12			1.20	7.32		
1/2	12.7	0.99	6.04	1.27	7.75	1.27	7.75
5/8	15.9	1.55	9.46	1.98	12.08	1.98	12.08
3/4	19	2.24	13.66	2.85	17.39		
7/8	22.2	3.04	18.54				
1	25.4	3.98	24.28	5.06	30.87		
1 1/8	28.6	5.03	30.68				
1 1/4	31.7	6.21	37.88				
1 1/2	38.1	8.95	54.6	11.39	69.48		
1 3/4	44.4	12.18	74.3				
2	50.8	15.91	97.05	20.25	123.53		
2 1/1	63.5	24.85	151.59				
3	76.2	35.78	218.26				

